

ADLINK Technical Document

Abstract	How to use the DAQ-2000 series in MATLAB		
OS	Windows		
Keyword	MAPS, DAQ-2000, D2K-DASK		
Related Products	DAQ-2010, DAQe-2010, PXI-2010, DAQ-2016, DAQe-2016, PXI-2016, DAQ-2005, DAQe-2005, PXI-2005, DAQ-2006, DAQe-2006, PXI-2006, PXI-2020, PXI-2022, DAQ-2208, DAQe-2208, PXI-2208, DAQ-2204, DAQe-2204, PXI-2204, DAQ-2205, DAQe-2205, PXI-2205, DAQ-2206, DAQe-2206, PXI-2206, DAQ-2501, DAQe-2501, PXI-2501, DAQ-2502, DAQe-2502, PXI-2502, DAQ-2213, DAQe-2213, DAQ-221, DAQe-2214		
Date	2021-08-13	No.	202110008

- Overview:

The DAQ module requires a third-party compiler installed on your system to control the DAQ card from MATLAB® correctly. This document outlines the compiler setup process and how to download sample code for MATLAB.

NOTE: The MathWorks® Data Acquisition Toolbox™ is widely used to connect to data acquisition hardware and read data into MATLAB (also a MathWorks product). ADLINK does not provide this tool, so it requires an alternative compiler to install the DLLs needed to control the DAQ card with MATLAB.

- Prerequisites:

Install MAPS Core or D2K-DASK.

- Solution:

The steps below show how to set up the correct environment and use the code samples in MATLAB.



Step 1:

Go to this link: http://www.mathworks.com/support/sysreq/previous_releases.html

Step 2:

In the “Release” column, find the correct MATLAB version.

Previous Releases: System Requirements and Supported Compilers


Release	Windows	Linux	Mac	Solaris/UNIX	Supported Compilers	Platform Availability
R2021a (MATLAB 9.10)	Details	Details	Details	N/A	Details	Details
R2020b (MATLAB 9.9)	Details	Details	Details	N/A	Details	Details
R2020a (MATLAB 9.8)	Details	Details	Details	N/A	Details	Details
R2019b (MATLAB 9.7)	Details	Details	Details	N/A	Details	Details
R2019a (MATLAB 9.6)	Details	Details	Details	N/A	Details	Details
R2018b (MATLAB 9.5)	Details	Details	Details	N/A	Details	Details
R2018a (MATLAB 9.4)	Details	Details	Details	N/A	Details	Details
R2017b (MATLAB 9.3)	Details	Details	Details	N/A	Details	Details
R2017a (MATLAB 9.2)	Details	Details	Details	N/A	Details	Details
R2016b (MATLAB 9.1)	Details	Details	Details	N/A	Details	Details
R2016a (MATLAB 9.0)	Details	Details	Details	N/A	Details	Details
R2015b (MATLAB 8.6)	Details	Details	Details	N/A	Details	N/A

Step 3:

In the “Supported Compilers” column, click the “Details” link in the row corresponding to your MATLAB version.

Previous Releases: System Requirements and Supported Compilers

Release	Windows	Linux	Mac	Solaris/UNIX	Supported Compilers	Platform Availability
R2021a (MATLAB 9.10)	Details	Details	Details	N/A	Details	Details
R2020b (MATLAB 9.9)	Details	Details	Details	N/A	Details	Details
R2020a (MATLAB 9.8)	Details	Details	Details	N/A	Details	Details
R2019b (MATLAB 9.7)	Details	Details	Details	N/A	Details	Details
R2019a (MATLAB 9.6)	Details	Details	Details	N/A	Details	Details
R2018b (MATLAB 9.5)	Details	Details	Details	N/A	Details	Details
R2018a (MATLAB 9.4)	Details	Details	Details	N/A	Details	Details
R2017b (MATLAB 9.3)	Details	Details	Details	N/A	Details	Details
R2017a (MATLAB 9.2)	Details	Details	Details	N/A	Details	Details
R2016b (MATLAB 9.1)	Details	Details	Details	N/A	Details	Details
R2016a (MATLAB 9.0)	Details	Details	Details	N/A	Details	Details




Step 4:

Install a recommended compiler according to your MATLAB version.

	MATLAB	MATLAB Compiler	GUIDE EX	GUIDE NE	GUIDE JA	MATLAB Coder	SimBiology	FIXED-POINT Designer
	<i>For MEX-file compilation and external usage of MATLAB Engine and MAT-file APIs</i>	<i>For C and C++ shared libraries</i>	<i>For all features</i>	<i>For all features</i>	<i>For all features</i>	<i>For all features</i>	<i>For accelerated computation</i>	<i>For accelerated computation</i>
Compiler								
icc-win32 v2.4.1 <i>Included with MATLAB</i>	✓					✓	✓	✓
Microsoft Windows SDK 7.1 <i>Available at no charge; requires .NET Framework 4.0</i>	✓	✓	✓	✓		✓	✓	✓
Microsoft Visual C++ 2012 Professional	✓	✓	✓	✓		✓	✓	✓
Microsoft Visual C++ 2010 Professional SP1	✓	✓	✓	✓		✓	✓	✓
Microsoft Visual C++ 2008 Professional SP1	✓	✓	✓	✓		✓	✓	✓
Intel C++ Composer XE 2013	✓							

Step 5:

Install the compiler if not installed already. In this case, Visual Studio 2010.



Step 6:

Launch MATLAB. Enter the “mex -setup” command to begin the default compiler setup process. Press “y” to automatically locate the compiler.

```
>> mex -setup
```

```
Welcome to mex -setup. This utility will help you set up  
a default compiler. For a list of supported compilers, see  
http://www.mathworks.com/support/compilers/R2013b/win64.html
```

```
Please choose your compiler for building MEX-files:
```

```
fx Would you like mex to locate installed compilers [y]/n?
```

Step 7:

A numbered list of available compilers is displayed. Type the number of the preferred compiler, e.g., “1”. Press “y” to confirm.

```
Would you like mex to locate installed compilers [y]/n? y
```

```
Select a compiler:
```

```
[1] Microsoft Visual C++ 2010 in C:\Program Files (x86)\Microsoft Visual Studio 10.0
```

```
[2] Microsoft Visual C++ 2008 SP1 in C:\Program Files (x86)\Microsoft Visual Studio 9.0
```

```
[0] None
```

```
Compiler: 1
```

```
Please verify your choices:
```

```
Compiler: Microsoft Visual C++ 2010
```

```
Location: C:\Program Files (x86)\Microsoft Visual Studio 10.0
```

```
fx Are these correct [y]/n? y
```



Step 8:

Check the results after the updates are complete.

```
Are these correct [y]/n? y

*****
Warning: MEX-files generated using Microsoft Visual C++ 2010 require
        that Microsoft Visual Studio 2010 run-time libraries be
        available on the computer they are run on.
        If you plan to redistribute your MEX-files to other MATLAB
        users, be sure that they have the run-time libraries.
*****

Trying to update options file: C:\Users\TEST\AppData\Roaming\MathWorks\MATLAB\R2013b\mexopts.bat
From template:                C:\PROGRA~1\MATLAB\R2013b\bin\win64\mexopts\msvc100opts.bat

Done . . .
```

Step 9:

Download additional ADLINK MATLAB samples from the link below.

Link: https://ftp.adlinktech.com/daq/d2k_dask_matlab.zip




Step 10:

Extract the contents of the zip file to a folder. To set up this new folder in MATLAB:


1. Open *setpath*
2. Click “Add Folder”
3. Select the folder in the MATLAB search path area
4. Click “Save”

The M file in the selected folder is now accessible from within MATLAB.



Step 11:

View the contents of the sample M file through the Editor. Modify the contents as needed. The contents of the sample M file are shown below.



```
28 - end
29 - %check DLL and HEADER
30 - if ~exist(DLL, 'file') || ~exist(HEADER, 'file')
31 -     fprintf('DLL or HEADER is not found here\n');
32 -     return;
33 - end
34 - %check lib loading
35 - if ~libisloaded(LIB)
36 -     [notfound, warnings] = loadlibrary(DLL, HEADER, 'alias', LIB);
37 -     if ~libisloaded(LIB)
38 -         fprintf('Load lib failed\n');
39 -         return;
40 -     end
41 - end
42 - %%
43 - card_type = D2KDASK.DAQ_2501; % ADLink D2KDAQ Module Type / DAQ2000 Device / DAQ_2501
44 - card_num = uint16(0); % The first card_number is 0
45 -
46 - SyncMode = D2KDASK.ASYNCH_OP; % Synchronous Mode / ASYNCH_OP / async
47 - AdRange = D2KDASK.AD_B_10_V; % AD_B_10_V
48 - Channel = uint16(0); % DAQ/DAQe-2501: 0 to 7
49 - ConfigCtrl = bitor(D2KDASK.DAQ2K_AI_ADSTARTSRC_Int, D2KDASK.DAQ2K_AI_ADCONVSRV_Int); % DAQ2K_AI_ADSTARTS
50 - TrigCtrl = bitor(D2KDASK.DAQ2K_AI_TRGMOD_POST, D2KDASK.DAQ2K_AI_TRGSRV_SOFT); % DAQ2K_AI_TRGMOD_POST 0x0
51 - MidOrdlyScans = uint32(0);
52 - MCnt = uint32(0);
53 - ReTrgCnt = uint32(0);
```

Step 12:

Type the filename to run the M file, e.g., “D2K_2501_AI_DMA.m”, at the MATLAB command window prompt. The result is shown below. The card worked correctly and returned the data into MATLAB.

